

Migrating to new TWS releases

Adapt or delete STEPLIB

TWS Load Library SEQQLMD0

The program is calling the TWS PIF module EQQYCOM (TWS Program Interface). If the library with that module is not concatenated in your LINKLIST, you have to specify the STEPLIB.

- ☞ The STEPLIB is mandatory if you are working with different TWS versions!

Language Environment

This program is using Language Environment. If those libraries are not concatenated in your LINKLIST, you have to specify the STEPLIB

Adapt EQQMLOG

Error messages and warnings of TWS are written into EQQMLOG.

Adapt EQQMLIB

Enter the dataset name of your TWS message library here.

Adjust EQQYPARM

- ☞ Specify the date format for the communication between program and TWS.
- ☞ The program has to run on the same system as the TWS controller or TWS PIF server (see TWS literature for more information).

TWS-Subsystem in EQQYPARM:

- ☞ We recommend specifying the TWS subsystem within the EQQYPARM statement.

Adapt file names of TWS/BatchAD LOAD modules

Modify the name of the TWS/BatchAD program:

TWS-Version	Member name
Tivoli OPC Version 2 Release 3	OABI7
TWS for z/OS V8R1	OABI8
TWS for z/OS V8R2	OABI9
TWS for z/OS V8R3	OABIB