

### 1.1.1 Changes with a New Release of IWS for z/OS (TWS)

Some of the XINFO scanner programs for IWS for z/OS (TWS) depend on the version in use. The corresponding version is indicated by the last character of the program name. When migrating to a new release of IWS for z/OS (TWS), these program names must be changed in these jobs.

**Table 1: Jobs to be modified**

Jobname	Program name
XXRJCP <sup>*</sup>	XXRICPL <sub>x</sub>
XXRJCP <sup>*</sup>	XXRICP <sub>x</sub>
XXRJLAD <sup>*</sup>	XXRILAD <sub>x</sub>

In the member XXRXSETV of XINFO.CLIST, the parameter OPQVER="x" has to be adjusted (for each specified subsystem), also some DSN in this member may have to be changed.

If needed, the DSN of the IWS loadlib, message lib or of the VSAM clusters in these jobs and member XXRXSETV must also be changed.

The table below helps to determine the correct version number for your IWS for z/OS (TWS) release.

**Table 2: IWS for z/OS (TWS) Releases and Version Numbers**

Release	Version Number x
TWS 8.6	E
TWS 9.1	F
TWS 9.2	G
IWS 9.3	H
IWS 9.3 SPE3	I
IWS 9.5	J

Additional information for IWS 9.3 Small Program Enhancements (SPE):

Audit SPE1 consists of these APARs:

PI48075: ENHANCING AUDITING FOR STATUS CHANGES

PI48133: AUDITING ADVANCED ENHANCEMENTS

PI54662: USABILITY IMPROVEMENTS ON THE EXTENDED AUDITING FEATURE

HOLD/NOP SPE2 consists of these APARs:

PI57310: SPECIFYING NOP AND MANUALLY HOLD AT OPERATION DEFINITION LEVEL

PI66395: CONTROLLER ENABLEMENT TO SUPPORT SPECIFYING NOP AND MANUALLY HOLD AT OPERATION DEFINITION LEVEL

Application-Dependencies SPE3 consists of this APAR:

PI62520: APPLICATION DEPENDENCIES

You should also maintain the section following the parameters in option USEOPC in the installation dialog which is started via member XINFO.INST.CLIST(INSTALL0), so that it contains the correct data set names.